



Replacing Jinitiator with Sun JRE in 11i

Michael Brown Colibri Limited









Agenda

- Why do we care
- Prerequisites
- Installation and Configuration
- But What About
 - Discoverer 4i
 - Cloning
 - Linux
- Questions





Questions

mbrown@colibrilimited.com





Why Do We Care

- Desupport for JInitiator has been announced
 - Should be off JInitiator prior to July 31, 2009
 - Desupport Notice: Metalink Note 552692.1
- JInitiator has known problems with Sun Java2
 Standard Edition
- Desktop support with multiple JVMs is complicated
- You may want to use Linux as a client (not certified by Oracle)







Prerequisites

- Must be Autoconfig enabled
- Must be on Developer 6i Patchset 18 or higher
- If your client is running Windows Vista
 - EBS 11.5.9 CU2 with ATG RUP4
 - EBS 11.5.10 CU with ATG RUP 4
- XP SP2 or Windows 2000
 - EBS 11.5.9 or higher





Prerequisites

Browser Version	Windows Vista	Windows XP SP2	Windows 2000
Internet Explorer 7	JRE 1.6.0_03 or later	JRE 1.6.0_03 or later	Not Certified
	JRE 1.5.0_12 or later	JRE 1.5.0_12 or later	
Internet Explorer 6	Not Certified	JRE 1.6.0_03 or later	JRE 1.6.0_03 or later
		JRE 1.5.0_12 or later	JRE 1.5.0_12 or later
Firefox 2.0.x	Not Certified	JRE 1.6.0_03 or later	Not Certified
		JRE 1.5.0_12 or later	
Firefox 1.5.x	Not Certified	JRE 1.5.0_12 or later	Not Certified





Prerequisites

- Metalink Note 290807.1
- Patch Developer 6i





Installation and Configuration

- Common Interoperability Patch, 6137466
- Get Windows Offline Installation version of JRE from Sun
- Plug-Ins are all located in \$COMMON_TOP/util/jinitiator with names like j2se16003.exe for JRE 6 version 1.6.0_03
- Developer 6i Patchset 18 has a forms focus bug that requires two patches, 6195758 and 5884875





Installation and Configuration

txkSetPlugin.sh